Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L9 and "opaque transparent"
Display: Generate:	Documents in Display Format: Starting with Number 1 C Hit List Hit Count C Side by Side C Image
	Séarch Cléar Interrupt
	Search History

DATE: Thursday, November 04, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB = USP	T; PLUR=YES; OP=ADJ		
<u>L25</u>	L9 and "opaque transparent"	31	<u>L25</u>
<u>L24</u>	3175401.pn.	1	<u>L24</u>
<u>L23</u>	3125984.pn.	1	<u>L23</u>
DB=PGP	B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YE	ES; OP=ADJ	
<u>L22</u>	L9 and "thermochromic coating"	12	<u>L22</u>
DB = USP	T; PLUR=YES; OP=ADJ		
<u>L21</u>	5482373.pn.	1	<u>L21</u>
<u>L20</u>	5786578.pn.	1	<u>L20</u>
<u>L19</u>	5918981.pn.	1	<u>L19</u>
DB=PGP	B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YE	ES; OP=ADJ	
<u>L18</u>	L7 and "ink"	46	<u>L18</u>
<u>L17</u>	temperature sensitive indicator	85	<u>L17</u>
<u>L16</u>	L9 and "thermochromic strip"	3	<u>L16</u>
<u>L15</u>	temperature indicating mug	0	<u>L15</u>
<u>L14</u>	temperature indicating cup	1	<u>L14</u>
<u>L13</u>	L9 and "temperature indicating cup"	0	<u>L13</u>

<u>L31</u>	from opaque to transparent	0	<u>L31</u>
<u>L30</u>	L8 and "from opaque to transparent"	0	<u>L30</u>
<u>L29</u>	L8 and "beverage"	129	<u>L29</u>
<u>L28</u>	L27 and "temperature sensor"	68	<u>L28</u>

L.

Freeform Search

IBM Technical Disclosure Bulletins	
Term: 5779364.pn.	Carried Control
Display: 10 Documents in Display Format: TI Starting with N	umber 1
Generate: O Hit List O Hit Count O Side by Side O Image	

Search History

DATE: Thursday, November 04, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
•	PT; PLUR=YES; OP=ADJ		
<u>L46</u>	5779364.pn.	1	<u>L46</u>
<u>L45</u>	5786578.pn.	1	<u>L45</u>
<u>L44</u>	5920364.pn.	1	<u>L44</u>
<u>L43</u>	6126313.pn.	1	<u>L43</u>
<u>L42</u>	6244208.pn.	1	<u>L42</u>
<u>L41</u>	644208.pn.	0	<u>L41</u>
<u>L40</u>	6579006.pn.	1	<u>L40</u>
DB=PGI	PB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YE	S; OP=ADJ	
<u>L39</u>	L8 and "thermochromatic label"	1	<u>L39</u>
<u>L38</u>	L8 and "thermochromatic display"	1	<u>L38</u>
<u>L37</u>	L8 and "thermochromiatic display"	0	<u>L37</u>
<u>L36</u>	L8 and "thermochromic display"	3	<u>L36</u>
<u>L35</u>	L34 and "opaque transparent"	80	<u>L35</u>
<u>L34</u>	116/\$	61528	<u>L34</u>
<u>L33</u>	L8 and "opaque transparent"	41	<u>L33</u>
<u>L32</u>	opaque transparent	8018	<u>1.32</u>

<u>L12</u>	L9 and "temperature indicating container"	3	<u>L12</u>
<u>L11</u>	L9 and "thermosensitive indicator"	1	<u>L11</u>
<u>L10</u>	L9 and "thermochromic indicator"	9	<u>L10</u>
<u>L9</u>	374/\$	33300	<u>L9</u>
<u>L8</u>	L7 and "thermochromic indicator"	1	<u>L8</u>
<u>L7</u>	374/161	1018	<u>L7</u>
DB = USF	PT; PLUR=YES; OP=ADJ		
<u>L6</u>	5580747.pn.	1	<u>L6</u>
<u>L5</u>	5630959.pn.	1	<u>L5</u>
<u>L4</u>	5678925.pn.	. 1	<u>L4</u>
<u>L3</u>	5720555.pn.	1	<u>L3</u>
<u>L2</u>	5738442.pn.	1	<u>L2</u>
<u>L1</u>	5779364.pn.	1	<u>L1</u>

END OF SEARCH HISTORY